

Upland Diversity Mixes: Note - *Thermopsis gracilis* can be added to small mixes

| Upland Prairie Flowers 1 \$142/lb 170,828 seeds/lb 5-7 lb/acre = 20-30 seeds/ft ² | | Upland Prairie Flowers 2 \$160/lb 159,181 seeds/lb 5-7 lb/acre = 18-26 seeds/ft ² | | Upland Prairie Flowers 3 \$131/lb 90,427 seeds/lb 7-10 lb/ac = 15-21 seeds/ft ² | |
|---|------|---|------|---|------|
| Forbs Only: 25% annual, 75% perennial | | Forbs Only: 25% annual, 75% perennial | | Forbs Only: 25% annual, 75% perennial | |
| | Type | | Type | | Type |
| Agoseris grandiflora | p | Clarkia amoena | a | Achillea millefolium | p |
| Aquilegia formosa | p | Collinsia grandiflora | a | Clarkia amoena | a |
| Amsinckia menziesii var. menziesii | a | Eriophyllum lanatum | p | Gilia capitata | a |
| Camassia leichtlinii | p | Gilia capitata | a | Heuchera chlorantha | p |
| Clarkia purpurea ssp. quadrivulnera | a | Lomatium nudicaule | p | Iris tenax | p |
| Collomia grandiflora | a | Lotus purshianus | a | Lomatium dissectum | p |
| Gilia capitata | a | Lupinus albicaulis | p | Lotus purshianus | a |
| Ligusticum apiifolium | p | Madia gracilis | a | Lupinus polycarpus (L. micranthus) | a |
| Lomatium utriculatum | p | Phacelia heterophylla | p | Madia elegans | a |
| Lotus purshianus | a | Plagiobothrys nothofulvus | a | Perideridia oregana | p |
| Lupinus polycarpus (L. micranthus) | a | Potentilla glandulosa | p | Ranunculus occidentalis | p |
| Potentilla gracilis | p | Prunella vulgaris var. lanceolata | p | Sanguisorba annua (occidentalis) | a |
| Ranunculus orthorhyncus | p | Ranunculus occidentalis | p | Sidalcea campestris | p |
| Rumex salicifolius | p | Sidalcea malviflora ssp. virgata | p | Sidalcea malviflora ssp. virgata | p |
| Sidalcea malviflora ssp. virgata | p | Viola praemorsa | p | | |
| Sisyrinchium idahoense | p | | | | |
| Viola praemorsa | p | | | | |

Tough and Tenacious Mix
\$145/lb
 (hardy perennial forb emphasis)
 170,942 seeds/lb
 5-7 lb/ac = 20-27 seeds/ft²

| Forbs Only: 25% annual, 75% perennial | Type |
|---------------------------------------|------|
| Achillea millefolium | p |
| Amsinckia menziesii var. intermedia | a |
| Aquilegia formosa | p |
| Clarkia amoena and Clarkia purpurea | a |
| Collinsia grandiflora | a |
| Clarkia rhomboidea | a |
| Collomia grandiflora | a |
| Eriophyllum lanatum | p |
| Geum macrophyllum | p |
| Grindelia integrifolia | p |
| Heuchera chlorantha | p |
| Lomatium nudicaule and L. dissectum | p |
| Lotus purshianus | a |
| Lupinus albicaulis | p |
| Madia elegans | a |
| Madia gracilis | a |
| Phacelia heterophylla | p |
| Potentilla gracilis | p |
| Prunella vulgaris var lanceolata | p |
| Ranunculus occidentalis | p |
| Rumex salicifolius | p |
| Sanguisorba annua (occidentalis) | a |
| Sidalcea campestris | p |
| Sidalcea malviflora ssp. virgata | p |

Diverse Prairie Mix
\$138/lb
 174,499 seeds/lb
 6-8 lb/ac = 24-32 seeds/ft²

| 50% Grass, 50% Forbs | Type |
|--|------|
| Achnatherum (Stipa) lemmonii | p |
| Elymus glaucus and Elymus trachycaulus | p |
| Festuca roemerii | p |
| Koeleria macrantha | p |
| Juncus tenuis | p |
| Luzula comosa | p |
| Poa secunda | a |
| Achillea millefolium | p |
| Aquilegia formosa | p |
| Asclepias speciosa | p |
| Camassia leichtlinii | p |
| Clarkia amoena | a |
| Clarkia rhomboidea | a |
| Collinsia grandiflora | a |
| Eriophyllum lanatum | p |
| Gilia capitata | a |
| Iris tenax | p |
| Ligusticum apiifolium | p |
| Lomatium dissectum | p |
| Lupinus polycarpus (L. micranthus) | a |
| Lupinus albicaulis | p |
| Madia elegans | a |
| Potentilla gracilis | p |
| Prunella vulgaris var lanceolata | p |
| Ranunculus occidentalis | p |
| Rumex salicifolius | p |
| Sidalcea campestris | p |
| Sidalcea malviflora ssp. virgata | p |
| Symphyotrichum (Aster) hallii | p |

**Disturbed Ground/
 Late-Seeding Mix Forbs & Grass**
\$105/lb
 293,264 seeds/lb
 4-6 lb/ac = 27-40 seeds/ft²
FORBS ONLY \$134/lb
 172,845 seeds/lb
 5-7 lb/ac = 20-28 seeds/ft²

| 50% Grass, 50% Forbs | Type |
|--|------|
| Elymus glaucus and Elymus trachycaulus | p |
| Festuca roemerii | p |
| Koeleria macrantha | p |
| Poa secunda (P. scabrella) | p |
| Achillea millefolium | p |
| Amsinckia menziesii var. intermedia | a |
| Clarkia amoena | a |
| Clarkia rhomboidea | a |
| Collinsia grandiflora | a |
| Collomia grandiflora | a |
| Epilobium densiflorum | a |
| Eriophyllum lanatum | p |
| Geum macrophyllum | p |
| Gilia capitata | a |
| Lomatium nudicaule | p |
| Lotus purshianus | a |
| Lupinus rivularis | p |
| Madia elegans | a |
| Madia gracilis | a |
| Phacelia heterophylla | p |
| Plectritis congesta | a |
| Prunella vulgaris var lanceolata | p |
| Ranunculus occidentalis | p |
| Rumex salicifolius | p |
| Sidalcea malviflora ssp. virgata | p |
| Solidago elongata | p |

Specialty Mixes

**Butterfly Flower Mix Tall
Forbs & Grass
(max height in flower 6 ft)
\$132/lb
144,696 seeds/lb
5-9 lb/ac = 17-31 seeds/ft²
FORBS ONLY \$145/lb
82,767 seeds/lb
7-11 lb/ac = 13-21 seeds/ft²**

| 50% Grass, 50% Forbs | Type |
|---|------|
| Festuca roemerii | p |
| Koeleria macrantha | p |
| Achillea millefolium (n) | p |
| Amsinckia menziesii var. intermedia (n) | a |
| Aquilegia formosa (n) | p |
| Asclepias speciosa (l) (n) | p |
| Camassia leichtlinii (n) | p |
| Collomia grandiflora (n) | a |
| Eriophyllum lanatum (n) | p |
| Geum macrophyllum (n) | p |
| Gilia capitata (l) (n) | a |
| Grindelia integrifolia (n) | p |
| Lomatium dissectum (l) (n) | p |
| Lotus purshianus (l) | a |
| Lupinus albicaulis (l) | p |
| Lupinus polyphyllus (l) (n) | p |
| Lupinus rivularis (l) (n) | p |
| Madia elegans (n) | a |
| Plagiobothrys figuratus (n) | a |
| Sidalcea campestris (l) (n) | p |
| Solidago canadensis (n) | p |
| Symphyotrichum (Aster) hallii (l) (n) | p |
| Wyethia angustifolia (n) | p |

I = larvall host; n = nectar

**Butterfly Flower Mix Short
Forbs & Grass
(max height 3 ft in flower)
(Brodiaea coronaria added for orders <5lb)
\$119/lb
186,648 seeds/lb
3-5 lb/ac = 17-28 seeds/ft²
FORBS ONLY \$144/lb
134,267 seeds/lb
6-9 lb/ac = 18-27 seeds/ft²**

| 50% Grass, 50% Forbs | Type |
|--|------|
| Danthonia californica | p |
| Koeleria macrantha | p |
| Poa secunda (P. scabrella) | p |
| Allium amplexans (n) | p |
| Aquilegia formosa (n) | p |
| Camassia quamash (n) | p |
| Collomia grandiflora (n) | a |
| Eriophyllum lanatum (n) | p |
| Iris tenax (n) | p |
| Lomatium nudicaule (l) | p |
| Lomatium utriculatum (n) | p |
| Lotus purshianus (l) (n) | a |
| Lupinus polycarpus (L. micranthus) (l) | a |
| Phacelia heterophylla (n) | p |
| Plagiobothrys figuratus (n) | a |
| Plagiobothrys nothofulvus (n) | a |
| Plectritis congesta (n) | a |
| Potentilla gracilis (l) | p |
| Prunella vulgaris v. lanceolata (n) | p |
| Ranunculus occidentalis (n) | p |
| Rupertia physodes (l) | p |
| Sidalcea malviflora ssp. virgata (l) (n) | p |
| Wyethia angustifolia (n) | p |
| Viola praemorsa (n) | p |

I = larvall host; n = nectar

**Oak Woodland Understory (*Osmorhiza
occidentalis* & *Thermopsis gracilis* added
for orders <5lb for \$102/lb)
standard mix is \$78/lb
85,829 seeds/lb
10-12 lb/ac = 20-25 seeds/ft²**

| 50% Grass, 50% Forbs | Type |
|----------------------------------|------|
| Bromus sitchensis | p |
| Elymus glaucus | p |
| Achillea millefolium | p |
| Aquilegia formosa | p |
| Artemisia douglasiana | p |
| Camassia leichtlinii | p |
| Collinsia grandiflora | a |
| Geum macrophyllum | p |
| Iris tenax | p |
| Ligusticum apiifolium | p |
| Lomatium dissectum | p |
| Madia elegans | a |
| Plagiobothrys nothofulvus | a |
| Plectritis congesta | a |
| Potentilla glandulosa | p |
| Prunella vulgaris var lanceolata | p |
| Ranunculus uncinatus | p |
| Rupertia physodes (Psoralea p) | p |
| Sidalcea campestris | p |
| Thalictrum polycarpum | p |

Specialty Mixes

Burn Pile Mix
\$103/lb

192,547 seeds/lb

5-7 lb/ac = 22-31 seeds/ft²

| 50% Grass, 50% Forbs | Type |
|-------------------------------------|------|
| Festuca roemerii | p |
| Achillea millefolium | p |
| Amsinckia menziesii var. intermedia | a |
| Clarkia amoena | a |
| Clarkia purpurea ssp. quadrivulnera | a |
| Collinsia grandiflora | a |
| Collomia grandiflora | a |
| Eriophyllum lanatum | p |
| Geum macrophyllum | p |
| Gilia capitata | a |
| Lotus purshianus | a |
| Lupinus rivularis | p |
| Madia elegans | a |
| Madia gracilis | a |
| Phacelia heterophylla | p |
| Plagiobothrys nothofulvus | a |
| Prunella vulgaris var. lanceolata | p |
| Ranunculus occidentalis | p |
| Sidalcea campestris | p |
| Sidalcea malviflora ssp. virgata | p |

Pollinator Hedgerow Mix NEW!
\$150/lb

118,549 seeds/lb

7-10 lb/acre = 19-27 seeds/ft²

| 100% Forbs | Type |
|------------------------------------|------|
| Aquilegia formosa | p |
| Camassia leichtlinii | p |
| Clarkia amoena | a |
| Collomia grandiflora | a |
| Collinsia grandiflora | a |
| Eriophyllum lanatum | p |
| Gilia capitata | a |
| Heracleum maximum (lanatum) | p |
| Heuchera chlorantha | p |
| Iris tenax | p |
| Ligusticum apiifolium | p |
| Lomatium utriculatum | p |
| Lupinus albicaulis | p |
| Lupinus latifolius | p |
| Lupinus polycarpus (L. micranthus) | a |
| Phacelia heterophylla | p |
| Prunella vulgaris v. lanceolata | p |
| Potentilla gracilis | p |
| Ranunculus occidentalis | p |
| Sidalcea malviflora ssp. virgata | p |
| Solidago elongata | p |
| Symphyotrichum (Aster) hallii | p |
| Viola praemorsa | p |

Annual Color Mix
[great for borders!]
\$98/lb

426,011 seeds/lb

2-6 lb/acre = 24-48 seed/ft²

Higher rate for maximum color

| 100% Forbs | Type |
|-------------------------------------|------|
| Amsinckia menziesii var. intermedia | a |
| Clarkia amoena | a |
| Clarkia purpurea ssp. quadrivulnera | a |
| Clarkia rhomboidea | a |
| Collinsia grandiflora | a |
| Collomia grandiflora | a |
| Epilobium densiflorum | a |
| Gilia capitata | a |
| Madia elegans | a |
| Madia gracilis | a |
| Phacelia heterophylla | a/b |
| Plagiobothrys figuratus | a |
| Plectritis congesta | a |

Wet Prairie Mixes

**Wetland Prairie/Bioswale 1
(broadcast only)
\$125/lb
241,547 seeds/lb
4-6 lb/ac = 21-32 seeds/ft²
FORBS ONLY \$143 lb
178,101 seeds/lb
5-7 lb/ac = 20-32 seeds/ft²**

| 50% Graminoids, 50% Forbs | Type |
|--|------|
| Carex densa | p |
| Carex scoparia | p |
| Carex pachystachya | p |
| Carex stipata | p |
| Carex unilateralis | p |
| Danthonia californica | p |
| Deschampsia cespitosa | p |
| Juncus ensifolius, J. tenuis and Luzula comosa | p |
| Achillea millefolium | p |
| Asclepias speciosa | p |
| Camassia leichtlinii | p |
| Clarkia amoena and C. purpurea | a |
| Downingia elegans | a |
| Epilobium densiflorum | a |
| Eriophyllum lanatum | p |
| Grindelia integrifolia | p |
| Lupinus rivularis | p |
| Madia elegans | a |
| Mimulus guttatus | a |
| Montia linearis | a |
| Perideridia oregana | p |
| Plagiobothrys figuratus/P. scouleri mix | a |
| Plectritis congesta | a |
| Potentilla gracilis | p |
| Prunella vulgaris var lanceolata | p |
| Ranunculus orthorhyncus | p |
| Sanguisorba annua (occidentalis) | a |
| Sidalcea campestris | p |
| Symphyotrichum (Aster) hallii | p |
| Thalictrum polycarpum | p |

**Wetland Prairie/Bioswale 2
(broadcast only)
\$114/lb
203,207 seeds/lb
5-7 lb/ac = 23-33 seeds/ft²
FORBS ONLY \$130/lb
145,639 seeds/lb
5-7 lb/ac = 16-22 seeds/ft²**

| 50% Graminoids, 50% Forbs | Type |
|--|------|
| Carex densa | p |
| Carex pachystachya | p |
| Carex scoparia | p |
| Carex stipata | p |
| Carex unilateralis | p |
| Danthonia californica | p |
| Deschampsia cespitosa | p |
| Juncus ensifolius, J. tenuis and Luzula comosa | p |
| Allium amplexans | p |
| Camassia quamash | p |
| Clarkia purpurea ssp quadrivulnera | a |
| Epilobium densiflorum | a |
| Eriophyllum lanatum | p |
| Geum macrophyllum | p |
| Heracleum maximum (lanatum) | p |
| Lotus purshianus | a |
| Lupinus polyphyllus | p |
| Microsteris (Phlox) gracilis | a |
| Mimulus guttatus | a |
| Perideridia oregana | p |
| Plectritis congesta | a |
| Potentilla gracilis | p |
| Ranunculus occidentalis | p |
| Ranunculus orthorhyncus | p |
| Rumex salicifolius | p |
| Sanguisorba annua (occidentalis) | a |
| Sidalcea campestris | p |
| Sisyrinchium idahoense | p |
| Solidago elongata | p |

**Vernal Pool Mix
\$165/lb
389,126 seeds/lb
3 lb/acre = 27 seed/ft²**

| Forbs Only: 75% annual, 25% perennial | Type |
|--|------|
| Allium amplexans | p |
| Downingia elegans | a |
| Epilobium densiflorum | a |
| Grindelia integrifolia | p |
| Linanthus bicolor | a |
| Lotus pinnatus | a |
| Lotus purshianus | a |
| Madia glomerata | a |
| Microsteris (Phlox) gracilis | a |
| Mimulus guttatus | a |
| Montia linearis | a |
| Plagiobothrys figuratus | a |
| Rorippa curvisiliqua | a |
| Rumex salicifolius | p |
| Sanguisorba annua (occidentalis) | a |
| Triteleia hyacinthina (B. hyacinthina) | p |
| Veronica peregrina | a |

Specialty Mixes

Urban Meadow Mix
 (tough plant emphasis, blooms April-June -
 broadcast seed fall for best results)
**MOW LATE-SUMMER OR FALL NO LOWER
 THAN 4 INCH**
 \$79/lb
 191,499 seeds/lb
 9 lb/ac = 32-40 seeds/ft²
 [1 oz/300 ft²]

| 50% Graminoids, 50% Forbs | Type |
|----------------------------------|------|
| Danthonia californica | p |
| Festuca roemerii | p |
| Allium amplexans | p |
| Achillea millefolium | p |
| Collinsia grandiflora | a |
| Eriophyllum lanatum | p |
| Plectritis congesta | a |
| Potentilla gracilis | p |
| Prunella vulgaris var lanceolata | p |
| Ranunculus occidentalis | p |
| Sidalcea malviflora ssp. virgata | p |
| Viola praemorsa | p |

Fender's Nectar Mix
 \$165/lb (1-5 lb only)
 105,911 seeds/lb
 9 lb/acre = 22 seeds/ft²

| 100% Forbs | Type |
|----------------------------------|------|
| Allium amplexans | p |
| Calochortus tolmiei | p |
| Camassia leichtlinii | p |
| Collomia grandiflora | a |
| Eriophyllum lanatum | p |
| Iris tenax | p |
| Lomatium nudicaule | p |
| Microseris laciniata | p |
| Plectritis congesta | p |
| Sidalcea malviflora ssp. virgata | p |
| Sisyrinchium idahoense | p |
| Zigadenus venenosus | p |

Monarch Habitat Mix - NEW 2018
 \$130/lb
 187,408 seeds/lb
 8 lb/acre = 34 seeds/ft²

| 25% Graminoids, 75% Forbs | Type |
|----------------------------------|------|
| Danthonia californica | p |
| Festuca roemerii | p |
| Achillea millefolium | p |
| Aquilegia formosa | p |
| Asclepias speciosa | p |
| Clarkia amoena | a |
| Eriophyllum lanatum | p |
| Lupinus rivularis | p |
| Madia elegans | a |
| Potentilla gracilis | p |
| Prunella vulgaris v. lanceolata | p |
| Sidalcea campestris | p |
| Sidalcea malviflora ssp. virgata | p |
| Solidago elongata | p |